


MONUMENT RECORD

Corner ID: **Wash_D02**

Sixteenth Corner

Sixteenth Corner Section 6- T10N-R01W, 2nd P.M.



Washington Township, Monroe County, Indiana



MONUMENT: Describe monument set or found (Include material type, scribing, distance above/below grade, dimensions.)

(#10486) Dimple on top and approximate center of 0.3' north-south by 0.7' east-west Granite Stone found with top 0.7' above ground.

MONUMENT LOCATION SKETCH:



WITNESS MONUMENT TIES: Describe at least three new BT's (Bearing Trees) and/or witness objects established or work done to preserve existing evidence. BT diameters are noted as dbh (diameter at breast height) and are measured approximately 4.5' above ground. Bearings and Distances are measured from the monument to the center of the BT. Bearings and Distances to witness ties were measured with a Sokkia Set 510 Total Station.

ID	Bearing	Distance	Description
(#490)	S21° 45'E	21.3'	17" diameter Sugar Maple tree with north-south fence running through it.
(#491)	N26° 11'E	12.2'	10" diameter Sugar Maple tree.
(#492)	N87° 00'E	6.2'	0.7' north-south by 0.4' east-west Granite stone found loosely imbedded in ground.
(#493)	S34° 35'W	40.2'	32" diameter Poplar tree.

MONUMENT ACCESSORIES

Other survey grade monuments that were located in the vicinity and their relation to the monument. Witnesses noted as a Rebar Lite are a 5/8" diameter by 16" polycarbonate rod with a 1-1/2" mag nail in top and yellow plastic cap stamped "MONROE COUNTY WITNESS POINT" set 0.1 foot below grade unless otherwise noted.

Geodetic coordinates in this table are provided in the format Northing, Easting

(#10488)	S14° 08' 30"W	35.07'	N:1489039.6047' E:3100665.3380' Rebar Lite
(#494)	S76° 02' 10"W	49.46'	N:1489061.6766' E:3100625.9080' Rebar Lite



OFFICE OF THE MONROE COUNTY SURVEYOR • Trohn Enright-Randolph

501 N Morton Street Ste 205, Bloomington, IN 47404 • 812-349-2570 • surveyorsoffice@co.monroe.in.us

Page 1 of 3

MONUMENT RECORD

Corner ID: **Wash_D02**

Sixteenth Corner

Sixteenth Corner Section 6- T10N-R01W, 2nd P.M.

Washington Township, Monroe County, Indiana




PHOTO IDENTIFIED: *Photo Date:* 10/10/2025



Photo Orientation & Description: From Above



Photo Orientation & Description: From West looking East

EXISTING SURVEY HISTORY *Include as much detail and history of the corner as known at the time of perpetuation*

ORIGINAL GOVERNMENT SURVEY:

This corner was not established in the original Government Survey.

ORIGINAL CORNER RESTORATION:

Date Surveyed: August 1899 *By:* Eugene Bowers Monroe

County Surveyor

Where filed or recorded: Legal Survey Book 2, page 558.

Original monument: Not noted.

Bearing Trees or Reference Monuments:

Species	Dia.	Bearing	Distance
Beech	6"	S12°W	9 lks
Beech	6"	N5°E	2 ½ lks

Notes:

SUBSEQUENT CORNER RESTORATION: None found in Legal survey Books.

OTHER SURVEY HISTORY: *Include details such as surveyor name, date, recording info, monument description, etc.*

DocumentDate	SurveyID	Surveyor	Description	InstrumentNo
8/1/1899	RSID004039	Bowers, Charles	Legal Survey Book 2, Page 558	
3/26/2019	RSID002785	Gwinn, Jess A.	Ames Boundary survey	2019006845.IN

ORIGINAL OR SUBSEQUENT SURVEY EVIDENCE FOUND BY THE MONROE COUNTY SURVEYORS OFFICE: *Include, search area or areas, search procedure, etc.*

Date of Field work/Search: 10/10/2025 *By:* MES/EGC *Monument Found:* Stone BTs or Reference Objects Found: No, but references established. *Project #25-003 Field Book:* 59 pages 36 & 37 *Notes:*

OTHER EVIDENCE: *Describe corner location relative to nearby features and how to reach the corner location – note fences, roads, timber cutting lines, mow lines, clearings, plantings, streams, topo changes, etc.*

We reached the corner by parking by a house at 1548 Burma Road Gosport In. and walked South and East through woods and on quad trails to the Stone.



OFFICE OF THE MONROE COUNTY SURVEYOR • Trohn Enright-Randolph

501 N Morton Street Ste 205, Bloomington, IN 47404 • 812-349-2570 • surveyorsoffice@co.monroe.in.us

Page 2 of 3


MONUMENT RECORD

Corner ID: **Wash_D02**

Sixteenth Corner

Sixteenth Corner Section 6- T10N-R01W, 2nd P.M.

Washington Township, Monroe County, Indiana



MONUMENT PRESERVATION: *Describe work done to preserve existing monument.*

GPS coordinates were established on the Stone. 2 rebar lites were set within sight of it, that could be used to reestablish its location, should it become obliterated. We also located trees for visual reference. A plastic post with Monroe County Survey marker sign attached was placed against the East side of the Stone.

THEORY OF LOCATION: *Describe the theory of location for acceptance of this monument. Include monument origin and associated uncertainty.*

The Stone was found and is believed to be the monument set by Eugene Bowers Monroe County Surveyor in an 1899 survey, which survey appears to represent the original subdivision of the Section and thus being the original monument set in the original establishment of this corner, makes it, in my opinion the controlling of the center of the Northeast quarter of the Section with negligible uncertainty.

GEODETIC COORDINATES: *Northing:* 1489073.61', *Easting:* 3100673.9'

BASIS OF GEODETIC COORDINATES:

The basis of bearings is Grid North NAD83(2011), Indiana West Zone, Epoch 2010.0000, Geoid Model G2012BU7, Datum NAD83_NO_TRANS, US Survey Feet, derived from GPS observations utilizing the Indiana Real-Time Network (INCORS). Coordinate data was collected with a Javad Triumph LS Network Rover and/or with a Sokkia Set 510 Total Station radially from points located with GPS. Distances obtained with GPS have not been adjusted to ground. To adjust grid distances to ground distances multiply them by a scale factor of 1.000041933.

This document is not complete without the associated Corner Perpetuation plat and report of survey for Section 6 Township 10 North Range 1 West by Michael E. Sheppard of the Monroe County Surveyor's Office.

CERTIFICATIONS:



Michael E. Sheppard

Date: 1/20/2026

Michael E. Sheppard

State of Indiana

Professional Surveyor

No. 20100021



Trohn Enright-Randolph

Date: 1/20/2026

Trohn Enright-Randolph

Monroe County Surveyor



Donna Babich

Accepted by the Monroe County
Surveyor Review Board on

1/20/2026



OFFICE OF THE MONROE COUNTY SURVEYOR • Trohn Enright-Randolph

501 N Morton Street Ste 205, Bloomington, IN 47404 • 812-349-2570 • surveyoroffice@co.monroe.in.us

Page 3 of 3